



महाराष्ट्र शासन

शासकीय वैद्यकीय महाविद्यालय, अलिबाग, जि. रायगड.

जिल्हा सामान्य रुग्णालय परिसर, बीच रोड, लिमये वाडी, अलिबाग, जि. रायगड - ४०२ २०१

GOVERNMENT MEDICAL COLLEGE, ALIBAG - RAIGAD

DISTRICT CIVIL HOSPITAL AREA, ALIBAG BEACH ROAD, LIMYEWADI, ALIBAG DIST. RAIGAD - 402 201

Email- deangmcalibag@gmail.com

Phone No. 02141-299214

www.gmcalibag.in/gmch

जा.क्र. शावैमअ/सुक्ष्मजीवशास्त्र/दरपत्रक मागणी/२३६९/२०२३

दिनांक. १३ . १२ . २०२३

दरपत्रक मागणी पत्र.

प्रति,

-----,
-----,
-----.

विषय - सुक्ष्मजीवशास्त्र विभागा करीता लागणारे विविध किट्स ची दरपत्रके मोहोरबंद लिफाफे सादर करणेबाबत. (सोबत किट्सची यादी जोडली आहे)


शासकीय वैद्यकीय महाविद्यालय, अलिबाग - रायगड, सुक्ष्मजीवशास्त्र विभागसाठी सोबत जोडलेल्या किट्स ची आवश्यक आहे, त्या अनुषंगाने सोबत जोडलेल्या किट्स ची खरेदी ही सोबत जोडलेल्या नमुन्यात मोहोरबंद लिफाफयात विहित मुदतीत या कार्यालयाच्या आवक शाखेत खालील अटी व शर्ती नुसार सादर करावेत.

Sr. No	Product	Specification	Price Including all Taxes
	सुक्ष्मजीवशास्त्र विभाग- विविध किट्स साठी सोबत जोडलेल्या किट्स ची दरपत्रके मागविणेबाबत.		
	Total Including All Taxes		

अ.नं.

१. दरपत्रक मोहोरबंद लिफाफा, दि. १९ डिसेंबर २०२३ रोजी सांयकाळी ०५.०० वाजेपर्यंत कार्यालयास पोहचतील या बेताने पाठवावे. जाहीर केल्याला तारखेनंतर अथवा कार्यालयीन वेळेनंतर आलेले दरपत्रक विचारत घेतले जाणार नाही / ग्राहय धरले जाणार नाही.
२. दरपत्रक मोहोरबंद लिफाफा अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय, अलिबाग, जि. रायगड यांचे नावे विहित मुदतीत कार्यालयास सादर करावा, त्याचप्रमाणे दरपत्रक मोहोरबंद लिफाफयावर "सोबत जोडलेल्या किट्स" करीता दरपत्रक लिहून सादर करावे.
३. लिफाफयावर डाव्या बाजूस दरपत्रक, लिफाफा जमा करण्याचा अंतिम दिनांक, दरपत्रक धारकाच्या नावाचा शिक्का इ. नमुद असणे आवश्यक आहे.
४. दरपत्रक ग्राहय कालावधी हा पुरवठा आदेश नोंदविलेल्या दिनांका पासून १२ महिन्यांचा राहिल.

५. प्रस्तावित उदिदष्टांकरीता दरपत्रक आकारण्यात आलेले दर हे बाजारभावा पेक्षा अधिक नसावेत. सर्वात कमीतकमी दराचे दरपत्रकाचा विचार करण्यात येईल.
६. सदर उदिदष्टांची किंमत, सर्व करांसहीत एकुण किंमत अशी दर्शविण्यात यावी. दरपत्रकात खाडाखोड करण्यात येवू नये.
७. दरपत्रक मोहोरबंद लिफाफ्यात सादर करावायाचे दस्ताऐवज (Documents)- अधिकृत लेटर हेडवर दरपत्रकसादर करावे.१) दुकानाचा परवाना, २) व्यवसाय नोंदणी प्रमाणपत्र, ३) जी.एस.टी.क्रमांक पत्र.
८. सदर उपकरण इतर कोणत्या ही शासकीय संस्थेस पुरवठा केल्याचे प्रमाणपत्र असल्यास प्राधान्य.
९. ज्या पात्र दरपत्रक धारकाचे दर हे न्यूनतम असतील अशा यशस्वी दरपत्रक धारकास आवश्यकते नुसार सोबत जोडलेल्या किट्स चा पुरवठा करण्याचे आदेश देण्यात येतील.
१०. अपवादात्मक परिस्थितीमुळे उक्त कोणत्याही अटीत आवश्यकतेनुसार अंशतः बदल करणे अथवा प्राप्त झालेली दरपत्रके कोणतेही कारण न देता स्वीकारणे / नाकारणे तसेच कोणतही स्तरावर खरेदी प्रक्रिया रद्दकरणे इ. अधिकारी संस्थाप्रमुख (अधिष्ठाता) यांनी राखून ठेवले आहेत.
११. काम पूर्ण झाल्यानंतर तीन प्रतीत देयकेही अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय, अलिबाग, जि. रायगड यांचे नावाने देण्यात यावेत.
१२. देयकाची अदायगी ही शासनाकडून अनुदान प्राप्त होण्याच्या अधीन राहून करण्यात येईल. देयक अदा करण्यास विलंब झाल्यास त्यावर कोणत्याही प्रकारचे विलंब शुक्ल अदा केले जाणार नाही.
१३. वरील नमुद वस्तुंची नग संख्या ही मा.अधिष्ठाता यांच्या आदेशान्वये / प्रशासकीय उपलब्धतेनुसार कमी किंवा वाढवली जाऊ शकते.
१४. पुरवठाधारकाचे पूर्ण नाव, भ्रमणव्धनी आणि संपुर्ण पत्ता, संकेतांक क्र. (Email address along with Website) हा Envelope वर नमुद असणे अर्निवार्य आहे.


अधिष्ठाता,

शासकीय वैद्यकीय महाविद्यालय,
अलिबाग-रायगड.

प्रत - शासकीय वैद्यकीय महाविद्यालय, तसेच जिल्हा सामान्य रुग्णालय, अलिबाग-रायगड यांच्या सुचना फलकावर
दरपत्रक मागविण्या संदर्भात दिनांक .१३ डिसेंबर २०२३ सुचना देण्यात आल्या आहेत.

Government Medical Collage
Alibag-Raigad

QUOTATIONS TO BE CALLED FOR ALIBAUG CIVIL HOSPITAL LABORATORY

SR. NO.	PARTICULARS	SPECIFICATIONS	PACK SIZE	Rates (Including GST/ All Rates)
ELISA TESTS				
1	HBsAg ELISA	4 th Generation ELISA for detection of Hepatitis B surface antigen in human serum/plasma Principle Enzyme Linked Immunosorbent Assay (ELISA) Sensitivity 100% Specificity 100% Analytical Sensitivity 0.025 ng/ml Easy to use on automated & semi automated processor	96 tests/ kits	Per Kit
2	HCV ELISA	Enzyme Immunoassay for qualitative determination of antibodies against HCV virus in human serum and plasma Principle - Sandwich Immunoassay Capture - Recombinant antigens (Core, NS3, NS4, NS5) Sensitivity – 100% Specificity – 99.5% Easy to use on automated & semi automated processor	96 tests/ kits	Per Kit
3	Leptospira IgM ELISA	LeptolgMELISA for in-vitro qualitative detection of Leptospira IgM in human serum or plasma for screening test for testing of collected blood samples suspected for Leptospirosis.	96 tests/ kits	Per Kit

		Based on Indirect Elisa principle Sensitivity >99% & Specificity >99.% Easy to use on automated &semi automated processor		
4	Dengue NS1 ELISA	Solid phase enzyme linked immunosorbent assay for the detection of Dengue NS1 antigen in human serum or plasma Sensitivity – 100% Specificity – 100% Easy to use on automated &semi automated processor	96 tests/ kits	Per Kit
5	Dengue IgM ELISA	Dengue IgM Elisa for in-vitro qualitative detection of Dengue IgM antibodies in human serum or Plasma for testing of collected blood samples suspected for DENGUE. The kit should detect all four subtypes; DEN1, DEN2, DEN3 & DEN4 of Dengue Virus. Principle - "Capture ELISA" principle Detection of all 4 serotypes of Dengue (DEN 1 – DEN 4). Sensitivity >99% & Specificity > 99% Easy to use on automated &semi automated processor	96 tests/ kits	Per Kit
6	Chikungunya IgM ELISA	Chikungunya IgM ELISA for in vitro qualitative detection of Chikungunya IgM in human serum or plasma for testing of collected blood samples suspected for Chikungunya. Principle : "MAC Capture ELISA". Sensitivity: >99%& Specificity: >99.9%. Easy to use on automated &semi automated processor	96 tests/ kits	Per Kit



 Dean,
 Government Medical College,
 Alibag-Raigad

QUOTATIONS TO BE CALLED FOR ALIBAUG CIVIL HOSPITAL LABORATORY

SR. NO.	PARTICULARS	SPECIFICATIONS	PACK SIZE (Can Be Variable)	Rates (Including GST/ All Rates)
RAPID TESTS				
<ul style="list-style-type: none"> • One step test procedure. • Results within 15 minutes. • Bio hazard free, fully packed and see through device for ICT • Excellent Sensitivity & Specificity. • Long Shelf life: 30 months at 2-30° C. 				
1.	ASO (Anti-Streptolysin O)	For the detection of Anti-Streptolysin O in human serum Principle – Latex agglutination test Sensitivity 240 IU/ml	25 tests/kit	Per Test
2.	CRP (C-Reactive protein)	For the detection of C-reactive protein in human serum Principle – Latex agglutination test Sensitivity 6 mg/L (0.6 mg/dl)	25 tests/kit	Per Test
3.	RA (Rheumatoid Factor)	For the detection of rheumatoid factors in human serum Principle – Latex agglutination test Sensitivity 10 IU/ml	25 tests/kit	Per Test
4.	Widal (Slide agglutination test)	This diagnostic reagent kit is use for detection of specific antibodies present in response to the stimulation by specific antigen of Salmonella (group) – To,TH, AH, BH. Quantitative Slide agglutination test	4x5 mL	Per Kit
5.	RPR (Slide Agglutination test)	Rapid Plasma Reagin (RPR) test kits for the qualitative and semi-quantitative detection of syphilis antibody in human serum or plasma Principle – Side agglutination test Sensitivity – 99% Specificity – 95%	100 tests/kit	Per Test

6.	Syphilis Rapid test (Rapid Immunochromatography)	Modified TPHA, for the detection of Treponema specific IgG and IgM antibodies in human serum or plasma Principle Self-performing, double antigen sandwich immunoassay, lateral flow device Sensitivity 100% Specificity 98%	25 tests/kit	Per Test
7.	Malaria Pf/Pv/Pan (Rapid Immunochromatography)	Rapid Test for Malaria (Pan/Pv/Pf) Application For the detection of P.falciparum specific histidine rich protein-2 (Pf HRP-2), P.vivax specific pLDH and pan malaria specific pLDH, for the specific detection of P. falciparum and P.vivax malaria, differentiation of other malarial species and for the follow up of antimalarial therapy. Principle - Self performing, rapid, qualitative immunoassay, lateral flow device. Sensitivity 100% in correlation with microscopy Specificity 100% specific to P.falciparum HRP 2 , P.vivax specific pLDH and pan specific pLDH	25 tests/kit	Per Test
8.	Leptospira IgM antibodies (Rapid Immunochromatography)	Rapid test for the detection of Leptospira specific IgM antibodies in human serum/plasma/ whole blood Principle A unique two-site, self performing immunoassay on a membrane based on the principle of immunochromatography Sensitivity 100% Specificity Specific to Leptospira IgM antibodies > 95%	10 tests/kit	Per Test
9.	Dengue NS1/IgM/IgG (Rapid Immunochromatography)	Rapid test for the detection of NS-1 antigen and IgG/IgM antibodies to Dengue virus in human serum/plasma Principle A unique two-site, self-performing immunoassay on a membrane based on the principle of immunochromatography Sensitivity IgG/IgM> 95% NS-1=100% Specificity IgG/IgM >95% , NS-1 = 100%	10 tests/kit	Per Test
10.	Chikungunya IgM antibodies (Rapid Immunochromatography)	visual, rapid, sensitive, qualitative immunoassay for the detection of Chikungunya specific IgM antibodies in human serum or plasma.	10 tests/kit	Per Test
11.	Hepatitis A IgM antibodies (Rapid	For the detection of IgM antibodies to HAV in human serum /	10 tests/kit	Per Test

	Immunochromatography)	plasma Principle Self performing, two site sandwich immunoassay, lateral flow device Sensitivity 100% Specificity – 95%		
12.	Hepatitis E IgM antibodies (Rapid Immunochromatography)	For the detection of IgM antibodies to HEV in human serum / plasma Principle Self performing, two site sandwich immunoassay, lateral flow device Sensitivity ~ 1.0 ncu/ml Specificity – 95%	10 tests/kit	Per Test
13.	HBsAg (Rapid Immunochromatography)	For the detection of HBsAg in serum / plasma Principle Self performing, two site sandwich immunoassay, lateral flow device Sensitivity ~ 0.5 ng/ml of HBsAg Specificity 100% specific to HBsAg (ad/ay subtypes)	10 tests/kit	Per Test
14.	Hepatitis C antibodies (Rapid Immunochromatography)	For the detection of total antibodies (IgM, IgG, IgA) to HCV in Human serum / plasma Principle Self-performing, two-site sandwich immunoassay, lateral flow device Sensitivity 100% Specificity 99.5%	10 tests/kit	Per Test



Dean,
Government Medical College,
Alibag-Raigad