

 महाराष्ट्र शासन शासकीय वैद्यकीय महाविद्यालय, अलिबाग, जि. रायगड. जिल्हा सामान्य रुग्णालय परिसर, व्हीच रोड, लिमये वाडी, अलिबाग, जि. रायगड - ४०२ २०१ GOVERNMENT MEDICAL COLLEGE, ALIBAG - RAIGAD DISTRICT CIVIL HOSPITAL AREA, ALIBAG BEACH ROAD, LIMYE WADI, ALIBAG DIST. RAIGAD - 402 201
Email- deangmcalibag@gmail.com Phone No. ०२१४१-२९९२१४ www.gmchalibag.in/gmch
जा.क्र. शा.वै.म.अ/ फर्निचर खरेदी / दरपत्रक मागणी/ ३१८३ / २०२५ दिनांक २७.१०.२०२५

दरपत्रक मागणी पत्र.

प्रति,

विषय :- शासकीय वैद्यकीय महाविद्यालय व रुग्णालय, अलिबाग-रायगड या संस्थेमधील सन २०२५-२६ या शैक्षणिक वर्षामध्ये शिक्षण घेत असलेल्या प्रवेशित विद्यार्थ्यांच्या वसतीगृहाकरिता लागणारे आवश्यक फर्निचर व इतर साहित्याची खरेदी करणेबाबत....

शासकीय वैद्यकीय महाविद्यालय, अलिबाग-रायगड संस्थेतील सन २०२५-२६ या शैक्षणिक वर्षामध्ये शिक्षण घेत असलेल्या प्रवेशित विद्यार्थ्यांच्या वसतीगृहाकरिता लागणारे आवश्यक फर्निचर व इतर आवश्यक साहित्याची ची तातडीची आवश्यकता आहे. त्याअनुषंगाने बाबींची खरेदी ही खालील नमुन्यात दोन मोहरबंद लिफाफे पद्धतीने विहित मुदतीत या कार्यालयाच्या आवक शाखेत खालील अटी व शर्ती नुसार सादर करावेत.

अ.क्र.	फर्निचर व साहित्य नाव	तपशील	एकूण नग	प्रति नग किंमत (GST सह)	एकूण किंमत (GST सह)
1	Student Cot Made in Metal	Overall Size Width - 2050.0 mm Depth-973.0 mm Height 720.0 mm. Material: Headboard panels are made of 18 mm thick Prelaminated particle Board. All the exposed edges are edge banded with 2 mm thick PVC edge banding. Bed leg frame structure consist of metal frames made of M.S. 50 x 25 mm box section in 1.2 thickness Internal Pipes made of 19* 19 mm box section it. 0.09 mm thickness. Headboard pipes are made of 25*25 mm box section in 0.9 mm thickness. Mattress holding bkt is made of 0.0 mm CRCA SHEET. Hardware: The high quality hardware used Construction: Knock Down Construction. Packets: 1 packet. Finish: 18 mm thick Prelaminated Particle Board. Bed Leg Frame structure are powder coated in thickness of 50 microns (+10). Rest all metals are powder coated in thickness of 50 microns (+10) Certifications - Green Pro Certificated.	01		

2	Study Table	Study Table Size Shall be 900 Width 590 Depth 750 Height. The top panels shall be made from 18 $\pm$ 0.5 mm thick pre-laminated boards as per with, 2 mm thick PVC edge banding on all sides. Under structure shall be made from 0.9 mm $\pm$ 0.09 mm thick powder coated 50 microns (+10) CRCA MS. Tubular Frame shall be sq. 25.4 $\pm$ 0.3 mm 1.2 $\pm$ 0.096 mm thick MS ERW tube. Modesty panel shall be made from 10.1 $\pm$ 0.09 mm thick powder coated 50 thick CRCA MS plus drawer front 0.81 $\pm$ 0.1 mm thick CRCA MS. Also there should be 10 lever cam lock plus handles built in plastic. Certifications Green Guard (UL) certified.	01		
3	Wardrobe in Metal	900 mm (W)* 507 mm (D) *1950 mm (H) (Height Without Leveler). Construction & Material - Aesthetically appealing Slimline. Completely knock down construction. Removable Skirting to Cover Integral Legs. Legs fitted with screw type leveller. Made from combination fo CRAC 0.8 mm & 0.0 mm Thickness. Main Door Steel Hinged Door. Main Door Locking/Handle- Handle & Base Aesthetically appealing. Ergonomic flush with door made from Zinc alloy 3 way 90 Degree Removable key type Cam lock & Locking mechanism Height wise adjustable shelf mounting 4 nos of Full Adj Shelves. Finish-Epoxy Powder Coated to the Thickness of 50 Microns (+10). Certifications - Green Pro Certified.	01		
4	Steel Wardrobe	900 mm (W)* 507 mm (D) *1950 mm (H) (Height Without Leveler). Construction & Material - Aesthetically appealing Slimline. Completely knock down construction. Removable Skirting to Cover Integral Legs. Legs fitted with screw type leveller. Made from combination fo CRAC 0.8 mm & 0.0 mm Thickness. Main Door Steel Hinged Door. Main Door Locking/Handle- Handle & Base Aesthetically appealing. Ergonomic flush with door made from Zinc alloy 3 way 90 Degree Removable key type Cam lock & Locking mechanism Height wise adjustable shelf mounting 4 nos of Full Adj Shelves. Finish-Epoxy Powder Coated to the Thickness of 50 Microns (+10). Certifications - Green Pro Certified.	01		
5	Foam Mattress with Cover	Mattress for single bed Size -78 inch 36 inch 4 inch Thickness. Thickness 50 mm. Quilting Material -PU Foam. Density of Quilting Material (+2 kg/m3)- 18 kg/m3. Mattress Top Box Type Cover Fabric Composition- Polyester. MATTRESS COVER- Printed.	01		
6	Pillow With cover	Pillow with fabric upholstered having Size 60 cm * 40 cm	01		
7	Student Chair	Seat and Back Should be made up of injection moulded indoor grade PolyPropylene compound. The SEAT SIZE: 52.5 cm (W)*53.2 cm. (D) BACK SIZE: 51.6 cm, (W)*40.5 cm(H). The powder coated (DFT 50 $\pm$ 10 microns) welded tubular frame should be made from 0.222 $\pm$ 0.03 cm +0.12 $\pm$ 0.0128 cm stainless steel 202 grade tube. The Shoes should be made of indoor grade PolyPropylene compound and snap fitted with tubular Frame. Overall Dimensions of Chair Seat Height-45.0 cm Height-84.5 cm Width-52.5 cm and Depth-55.8 cm	01		

अटी व शर्ती.

१. दरपत्रक मोहरबंद लिफाफा , दि. ११/११/२०२५ रोजी साय ०५:०० वाजेपर्यंत कार्यालयास पोहचतील या बेताने पाठवावे. जाहीर केलेल्या तारखेनंतर अथवा कार्यालयीन वेळेनंतर आलेले दरपत्रक विचारात घेतले जाणार नाही/ग्राह्य धरले जाणार नाही.
२. सदर दरपत्रकामध्ये उत्पादक/अधिकृत वितरक यांनाच सहभाग घेता येईल.
३. उत्पादक/मुळ पुरवठादार यांनी, कंपनी उत्पादक परवाना सादर करणे अनिवार्य आहे.
४. अधिकृत वितरक यांनी सदर दरपत्रका करिता मुळ उत्पादक/पुरवठादार यांनी प्राधिकृत केलेले प्रमाणपत्र सादर करणे अनिवार्य आहे.
५. मागील तीन (०३) आर्थिक वर्षात सदर साधनसामुग्री कोणत्याही शासकीय संस्थेस पुरवठा केल्याबाबतचे पुरवठा आदेश सादर करणे बंधनकारक आहे.
६. दरपत्रक पुरवठादारांनी फर्निचर साधनसामुग्री बाबीकरिता ISO, BIS तसेच इतर आवश्यक प्रमाणपत्रे सादर करणे बंधनकारक आहे.
७. प्रथम तांत्रिक मोहोरबंद लिफाफ्यामध्ये खरेदी प्रक्रियेस आवश्यक असणारी उपरोक्त व इतर सर्व कागदपत्रे, प्रमाणपत्रे सादर करण्यात यावी व त्या लिफाफ्यावर तांत्रिक लिफाफा असे नमुद करण्यात यावे.
८. दरपत्रक धारकाने फर्निचर साधन सामुग्रीच्या प्रात्याक्षिक बाबींचे समितीस नमूना प्रात्याक्षिक दाखविणे बंधनकारक असून सोबत जोडलेल्या नमूना प्रात्याक्षिक अहवालावर संबंधित समितीचे अभिप्राय घेणे अनिवार्य आहे.
९. सदर दरपत्रक सादर करताना समिती स्विकृत तांत्रिक मोहोरबंद लिफाफामध्ये नमूना प्रात्याक्षिक अहवाल सोबत जोडणे आवश्यक असून, केवळ पात्र दरपत्र धारकांचा दराचा लिफाफा उघडण्यांत येईल.
१०. दुसऱ्या आर्थिक मोहोरबंद लिफाफ्यामध्ये फक्त उक्त बाबींचे दर करांसहीत सादर करण्यात यावी व त्या लिफाफ्यावर आर्थिक दरपत्रक लिफाफा असे नमुद करण्यात यावे. आणि सदर दोन्ही मोहोरबंद लिफाफे मा. अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय, अलिबाग. जि. रायगड ४०२ २०१ (जिल्हा रुग्णालय आवार) यांचे नावे विहित मुदतीत या कार्यालयास सादर करावेत. त्याचप्रमाणे दरपत्रक मोहोरबंद लिफाफ्यावर महाविद्यालय वसतिगृह करीता फर्निचर खरेदी दरपत्रक लिहून सादर करावे.
११. लिफाफ्यावर पुरवठाधारकाचे पुर्ण नाव, भ्रमणध्वनी क्र. आणि संपूर्ण पत्ता, संकेतांक क्र. (Email address) लिफाफा जमा करण्याचा अंतिम दिनांक (११/११/२०२५), दरपत्रक धारकाच्या नावाचा शिक्का इ. नमुद असणे आवश्यक आहे.
१२. लिफाफ्यावर डाव्या बाजूस दरपत्रक क्र, लिफाफा जमा करण्याचा अंतिम दिनांक, दरपत्रक धारकाच्या नावाचा शिक्का इ. नमुद असणे आवश्यक आहे
१३. दर पत्रकात नमुद केलेले दर सन २०२५-२६ या वित्तीय वर्षासाठी ग्राह्य धरले जातील.
१४. सर्वात कमी (L-१) दरपत्रकास खरेदी समितीच्या मान्यता अन्वये पुरवठा आदेशाकरिता विचार करण्यात येईल.
१५. सदर उद्दिष्टांची किंमत, सर्व करांसहीत (including all taxes)एकुण किंमत अशी दर्शविण्यात यावी.
१६. दरपत्रकात खाडाखोड करण्यात येवू नये. दरपत्रक हे पुर्णपणे छापील असावे. हस्तलिखित दरपत्रके ग्राह्य धरले जाणार नाहीत.
१७. प्रथम तांत्रिक दरपत्रक मोहोरबंद लिफाफ्यात सादर करावयाचे दस्तावेज (Documents Required)
 - १) अधिकृत लेटरहेडवर दरपत्रक दिलेल्या विनिर्दिष्टेनुसार असावेत २).जी.एस.टी.क्रमांक पत्र.
 - ३) दुकानाचा/कारखाना/कार्यालय परवाना क्रमांक, पॅनकार्ड, UDYAM Certificate सोबत जोडलेल्या नमुन्यानुसार सदर दस्तऐवज सादर केले नाही व अपुर्ण (विना स्वाक्षरी) असल्यास, तर सदरील पुरवठाधारकाचे दर न्युनतम असले तरीही दरपत्रक ग्राह्य धरले जाणार नाही.
१८. पुरवठा आदेश मिळाल्यानंतर पंधरा दिवसांच्या आत पुरवठा न केल्यास पुरवठा आदेश रद्द करण्यात येईल, व द्वितीय न्युनतम पात्र पुरवठाधारकाला प्रथम न्युनतम दराने पुरवठा आदेश देण्यात येतील. पुरवठादाराने

पुरवठा करण्यासाठी वाहतुक तसेच फर्निचर प्रस्थापित (Installation) करणे तसेच मजुरी व इतर सर्व खर्च स्वतः करण्यात यावा.

१९. अपवादात्मक परिस्थितीमुळे उक्त कोणत्याही अटीत आवश्यकतेनुसार अंशतः बदल करणे अथवा प्राप्त झालेली दरपत्रके कोणतेही कारण न देता स्वीकारणे/नाकारणे तसेच कोणतेही स्तरावर खरेदी प्रक्रिया रद्द करणे हे अधिकार संस्थाप्रमुख (अधिष्ठाता) यांनी राखून ठेवले आहेत.
२०. पुरवठा पूर्ण झाल्यानंतर तीन प्रतीत देयके (Tax Invoice) हि अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय, अलिबाग जि. रायगड यांचे नावाने देण्यात यावेत.
२१. देयकाची अदायगी ही शासनाकडून अनुदान प्राप्त होण्याच्या अधीन राहून करण्यात येईल. देयक अदा करण्यास विलंब झाल्यास त्यावर कोणत्याही प्रकारचे विलंब व दंडात्मक शुल्क अदा केले जाणार नाही.



अधिष्ठाता,

शासकीय वैद्यकीय महाविद्यालय

अलिबाग रायगड.

अधिष्ठाता,

शासकीय वैद्यकीय महाविद्यालय,

प्रत - शासकीय वैद्यकीय महाविद्यालय, तसेच जिल्हा सामान्य रुग्णालय, अलिबाग-रायगड यांच्या अधिष्ठाता, रायगड
दरपत्रक मागविण्या संदर्भात दिनांक : १७ / १० / २०२५ सुचना देण्यात आल्या आहेत.

Committee DEMO REPORT

GOVERNMENT MEDICAL COLLEGE, ALIBAG-RAIGAD,
CIVIL HOSPITAL CAMPUS, BEACH ROAD, LIMAYE WADI ALIBAG-RAIGAD-402 201

Quotation No.GMCHA/Quotation/ Hostel Furniture /2722025

Date:-26.00.2024

Sr.No	COMMITTEE REPORT	
1	Date of Demonstration	
2	Place of Demonstration	
3	NAME of Manufacturer	
4	Model No.	
5	Other Details if Any	
6	Whether Demonstration is as per Specification Yes or No	
7	Committee Opinion	
Committee Remark Name Designation Sign & Stamp		Committee Remark Name Designation Sign & Stamp

Committee DEMO REPORT

**GOVERNMENT MEDICAL COLLEGE, ALIBAG-RAIGAD,
CIVIL HOSPITAL CAMPUS, BEACH ROAD, LIMAYE WADI ALIBAG-RAIGAD-402 201**

Quotation No.GMCHA/Quotation/ Hostel Furniture 372/2025

Date:-26.09.2024

Sr. No	Name of Item	Item Description as per Quotation	Whether specification matching as per described in the quotation YES/NO	
			M/s.	
			YES	NO
1	Student Cot Made in Metal	Overall Size Width - 2050.0 mm Depth-973.0 mm Height 720.0 mm. Material:Headboard panels are made of 18 mm thick Prelaminated particle Board. All the exposed edges are edge banded with 2 mm thick PVC edge banding. Bed leg frame structure consist of metal frames made of M.S. 50 x 25 mm box section in 1.2 thickness Internal Pipes made of 19* 19 mm box section it. 0.09 mm thickness.Headboard pipes are made of 25*25 mm box section in 0.9 mm thickness. Mattress holding bkt is made of 0.0 mm CRCA SHEET. Hardware: The high quality hardware used Construction: Knock Down Construction. Packets: 1 packet. Finish: 18 mm thick Prelaminated Particle Board.Bed Leg Frame structure are powder coated in thickness of 50 microns (+-10). Rest all metals are powder coated in thickness of 50 microns (+10) Certifications - Green Pro Certificated.		
2	Study Table	Study Table Size Shall be 900 Width 590 Depth 750 Height. The top panels shall be made from 18+/-0.5 mm thick pre-Laminated boards as per with. 2 mm thick PVC edge banding on all sides. Under structure shall be made from 0.9 mm+/- 0.09 mm thick powder coated 50 microns (+1-10) CRCA Ms.Tubular Frame shall be sq. 25.4+/- . 03 mm 1.2 +/0.096 mm thick MS ERW tube. Modesty panel shall be made from 10.+/-0.09 mm thick powder coated 50 thick CRCA MS plus drawer front 0.8+/-0.1 mm thick CRCA Ms. Also there should be 10 lever cam lock plus handles built in plastic. Certifications Green Guard (UL) certified.		
3	Wardrobe in Metal	900 mm (W)* 507 mm (D) *1950 mm (H) (Height Without Leveler). Construction & Material - Aesthetically appealing Slimline. Completely knock down construction. Removable Skirting to Cover Integral Legs. Legs fitted with screw type leveller. Made from combination fo CRAC 0.8 mm & 0.0 mm Thickness. Main Door Steel Hinged Door. Main Door Locking/Handle- Handle & Base Aesthetically appealing, Ergonomic flush with		

		door made from Zinc alloy 3 way 90 Degree Removable key type Cam lock & Locking mechanism Height wise adjustable shelf mounting 4 nos of Full Adj Shelves. Finish-Epoxy Powder Coated to the Thickness of 50 Microns (+10). Certifications - Green Pro Certified.		
4	Steel Wardrobe	900 mm (W)* 507 mm (D) *1950 mm (H) (Height Without Leveler). Construction & Material - Aesthetically appealing Slimline. Completely knock down construction. Removable Skirting to Cover Integral Legs. Legs fitted with screw type leveller. Made from combination fo CRAC 0.8 mm & 0.0 mm Thickness. Main Door Steel Hinged Door. Main Door Locking/Handle- Handle & Base Aesthetically appealing, Ergonomic flush with door made from Zinc alloy 3 way 90 Degree Removable key type Cam lock & Locking mechanism Height wise adjustable shelf mounting 4 nos of Full Adj Shelves. Finish-Epoxy Powder Coated to the Thickness of 50 Microns (+10). Certifications - Green Pro Certified.		
5	Foam Mattress with Cover	Mattress for single bed Size -78 inch 36 inch 4 inch Thickness. Thickness 50 mm. Quilting Material -PU Foam. Density of Quilting Material (+2 kg/m3)- 18 kg/m3. Mattress Top Box Type Cover Fabric Composition- Polyester. MAITRESS COVER- Printed.		
6	Pillow With cover	Pillow with fabric upholstered having Size 60 cm * 40 cm		
7	Student Chair	Seat and Back Should be made up of injection moulded indoor grade PolyPropylene compound. The SEAT SIZE: 52.5 cm (W)*53.2 cm. (D) BACK SIZE: 51.6 cm, (W)*40.5 cm(H). The powder coated (DFT 50 ± 10 microns) welded tubular frame should be made from 0.2.22 +0.03 cm +0.12 ± 0.0128 cm stainless steel 202 grade tube. The Shoes should be made of indoor grade PolyPropylene compound and snap fitted with tubular Frame. Overall Dimensions of Chair Seat Height-45.0 cm Height-84.5 cm Width-52.5 cm and Depth-55.8 cm		